
TYRE RANGE

GALAXY



Galaxy, one of Alliance Tire Group (ATG) brands, is specialised in tyres for construction and material handling machines. A preferred choice globally. The Galaxy brand is committed to save costs that could have been inflicted by tough, unforgiving terrains. The tyres are purpose-built, offering outstanding performance, low wear and long service life. Hence, exceptional value for money. Treads such as Galaxy's range of skidsteer and contract utility tyres developed specifically for construction work are a popular choice for leading OEMs and aftermarket users alike and undisputed leader in Skidsteer tyres in the USA.

INTRODUCTION

The Galaxy tyres range includes a portfolio of solutions for industrial and material handling machinery, skidsteers, contract utility vehicles, mining vehicles, OTR and golf & turf. The range consists of 100 application specific patterns and over 700 SKUs' to serve on every sort of terrain.

A Galaxy tyre for every machine and application.



INDEX



PORT & CRANE 5-7

CONSTRUCTION 8-15

MATERIAL HANDLING 16-19

EARTHMOVER 20-25

AGRICULTURE 26-28



PORT & CRANE

RADIAL



TERMINAL MASTER

Size	PR	Type
280/75R22.5	168A8	TL
	172A5	
310/80R22.5*	175A8	TL
315/60R22.5*		



Terminal Tractor



E-4 CONTAINER HANDLER

Size	PR	Type
16.00R25	40	TL



Heavy Duty Forklift Container Handler



E-4 HARBOR KING

Size	PR	Type
18.00R25*	40PR	TL
	214A5	



Reach Stacker

DIAGONAL



E-4 PORT MAX

Size	PR	Type
12.00-24*	20	TL
18.00-25	40	TL
18.00-33	40	TL



Reach Stacker



E-4.5 PORT STAR PLUS

Size	PR	Type
16.00-25*	32	TL
18.00-25	40	TL



Reach Stacker



E-4.5 HM 450E

Size	PR	Type
18.00-25	40	TL
18.00-33	40	TL



Reach Stacker



L-4S HM 400S

Size	PR	Type
16.00-25*	32	TL
18.00-25	40	TL



Reach Stacker

*Under development

DIAGONAL



L-5S HM 500S

Size	PR	Type
18.00-25*	40	TL



Reach Stackers



E-3 HM 300E

Size	PR	Type
12.00-24	20	TT
14.00-24	28	TL



Heavy Duty Forklift Container Handler



E-3 HM 350E

Size	PR	Type
12.00-24	20	TT



Heavy Duty Forklift Container Handler



E-3 SUPER GRIP

Size	PR	Type
18.00-25	40	TL



Rubber Tire Gantry



E-3 SUPER TRAC

Size	PR	Type
14.00-24	28	TT
14.00-24	28	TL
16.00-25	28* & 32	TL
21.00-25	40	TL



Heavy Duty Forklift Rubber Tire Gantry

A yellow Galaxy Portstar Plus container handler is shown in a port yard. The machine is lifting a red container. The background consists of several stacked red containers. The sky is blue with some clouds. The word "GALAXY" is visible in red on the top right of the machine's boom.

GALAXY

STRENGTH

“ Our machines operate between 7:00a.m. and 22:00 p.m., seven days a week, running back and forward in the port area. Loaded with a 40-foot container and including the weight of the machine itself it is not uncommon that a total weight of 100 tonnes is moved and that is exactly where our Galaxy Portstar Plus proves its value. Since changing to the Galaxy Portstar Plus we did not encounter any downtime due to punctures or blowouts. This of course is an important argument for us to keep operating costs as low as possible. ”



CONSTRUCTION

SOLID



L-2 BEEFY BABY SDS

Size	PR	Type
31x10-20	-	Solid
33x12-20	-	Solid



Skidsteer



L-5 HULK SDS

Size	PR	Type
30x10-16	-	Solid
33x12-16	-	Solid



Skidsteer



L-4S SUPER SMOOTH SDS

Size	PR	Type
31x10-20	-	Solid
33x12-20	-	Solid



Skidsteer

RADIAL



R-4 MULTI TOUGH

Size	PR	Type
340/80R18	136A8	TL
405/70R18	146A8/B	TL
405/70R20	155A2/143B	TL
405/70R24	146A8/B	TL
440/80R24	154A8	TL
500/70R24	157A8	TL
460/70R24	159A8	TL
480/80R26	160A8	TL
440/80R28	156A8	TL
440/80R30	157A8	TL



Backhoe Loader Compact Loader Telehandler



R-1 HIGH LIFT RADIAL

Size	PR	Type
405/70R24IND	152A8	TL
17.5LR24	150A8 & 159A8	TL
500/70R24 IND	164A8	TL



Backhoe Loader Compact Loader Telehandler

DIAGONAL



R-4 BEEFY BABY II

Size	PR	Type
10-16.5	8 & 10	TL
12-16.5	10	TL
14-17.5	10 & 14	TL
10.5/80-18	10	TL
12.5/80-18	10 & 14	TL
15-19.5	14	TL
15-22.5	12 & 20	TL
18-22.5	18	TL



Skidsteer Backhoe Loader Utility Tractor Telehandler Compact Loader Boomlift



R-4 BEEFY BABY III

Size	PR	Type
10-16.5	8 & 10	TL
12-16.5	10 & 12	TL



Skidsteer Backhoe Loader Compact Loader Boomlift

DIAGONAL



L-5 HULK

Size	PR	Type
10-16.5	10	TL
12-16.5	12	TL
33X15.50-16.5	14	TL
14-17.5	14	TL
12.5/80-18	14	TL



Skidsteer Backhoe Loader



R-4 MUDDY BUDDY

Size	PR	Type
10-16.5	8	TL
12-16.5	10	TL




Skidsteer



R-4 MARATHONER

Size	PR	Type
20x10-10	4	TL
23X8.50-14	6	TL
25X8.50-14	4 & 6	TL
27X8.50-15	6	TL
10-16.5	8	TL
12-16.5	10	TL
14-17.5	6 & 10	TL
12.5/80-18	10	TL
(320/80-18)		
15-19.5	4 & 6 & 12	TL
12.4-20	10	TL
18.4-24	8 & 12*	TL
43x16.00-20	4	TL
19.5L-24	12	TL



Skidsteer

Boomlift

Utility Tractor

Industrial Tractor

Compact Loader

Backhoe Loader



R-4 SKIDDO

Size	PR	Type
10-16.5NHS	8	TL
10-16.5*	10	TL
12-16.5NHS	10 & 12	TL



Skidsteer


Utility Tractor

Boomlift



L-4 JUMBO HULK

Size	PR	Type
16.9-24	12	TL
19.5L-24	14	TL
21L-24*	16	TL
18.4-26 (480/80-26)	14	TL
16.9-28 (440/80-28)	14	TL
16.9-30	14	TL



Backhoe Loader Industrial Tractor



R-4 HIPPO

Size	PR	Type
27X12.50-15	8	TL
31X15.50-15	8	TL
31.5X13.00-16.5	10	TL
33X15.50-16.5	12	TL



Skidsteer

Forklift



R-3 MIGHTY MOW

Size	PR	Type
23X8.50-14	6	TL
27X8.50-15	6	TL
12.4X16	6	TL
10-16.5	8	TL
12-16.5	10 & 12*	TL
33X15.50-16.5	10	TL
14-17.5	6	TL



Boomlift



Skidsteer

Mower

Backhoe Loader

Utility Tractor



L-4 TRAC STAR ND

Size	PR	Type
10-16.5	10	TL
12-16.5	12	TL



Skidsteer

Backhoe Loader

*Under development

DIAGONAL



L-4+ KING KONG

Size	PR	Type
10-16.5	10	TL
12-16.5	12	TL



Skidsteer



R-4, L-2/G-2 GIRAFFE XLW

Size	PR	Type
16.9-28 (440/80-28)	12	TT
13.00-24	14	TL
14.00-24	16	TL
15.5-25	12	TL
17.5-25	16	TL
20.5-25*	16	TL
16.9-28	12	TT



Backhoe Loader



Telehandler



Grader



Loader



F-3/R-1 WORKSTAR

Size	PR	Type
11L-15SL	10	TL
11L-16SL	10 & 12	TL
10.0/75-15.3	10	TL
11.5/80-15.3	12	TL
405/70-20	14	TL
15.5/80-24	12 & 16	TL
18.4-26*	12	TL



Backhoe Loader



Utility Tractor



Telehandler



R-4 SUPER INDUSTRIAL LUG

Size	PR	Type
25X8.50-14	6	TL
320/80-18 IND (12.5/80-18)	116A8 & 134A8	TL
15-19.5	6	TL
400/70-20	144A8	TL
14.9-24	12	TL
16.9-24	8/142A8 & 12	TL
17.5L-24 (460/70-24)	6, 8 & 12	TL
18.4-24	12	TL
19.5L-24	14	TL
18.4-26 (480/80-26)	12	TL
16.9-28 & IND (440/80-28)	152A8	TL
16.9-30	14	TL



Industrial Tractor Backhoe Loader



Utility Tractor



R-4 XD 2010

Size	PR	Type
23x8.50-12	12	TL
23X8.50-14	6	TL
27X8.50-15NHS	8	TL
27X10.50-15NHS	8	TL
10X16.5	6, 8 & 10	TL
12X16.5	6, 8, 10 & 12	TL
33X15.50-16.5*	14	TL
14-17.5NHS	10 & 14	TL
15-19.5NHS	14	TL



Skidsteer



Boomlift



Utility Tractor



Backhoe Loader



L-2/G-2 GIRAFFE TREAD B

Size	PR	Type
13.00-24	14	TL



Telehandler



Grader



Loader



Compact Loader



R-4 EZ RIDER

Size	PR	Type
14.9-24	12	TL
16.9-24	6 & 12	TL
17.5L-24 (460/70-24)	10	TL
19.5L-24	10 & 12	TL
21L-24	12	TL
16.9-28 (440/80-28)	10 & 12	TL
21L-28	18	TL



Industrial Tractor



Compact Loader



Backhoe Loader



R-1 SUPER HIGH LIFT

Size	PR	Type
15.5/80-24	12 & 16	TL
17.5L-24	12	TL



Backhoe Loader



Compact Loader



Telehandler



Boomlift


*Under development

DIAGONAL




R-1 INDUSTRIAL

Size	PR	Type
12.5/80-18 (320/80-18)	14	TL
17.5L-24 (460/70-24)	12	TL




R-1 I-3 SUPER TRENCHER

Size	PR	Type
23X10.50-12	4	TL
26X12.00-12	8	TL
29X12.50-15	8	TL
31X15.50-15	8	TL
38X18.00-20	12	TL



G-2 / L-2 MULTI PURPOSE CONSTRUCTION (MPC)

Size	PR	Type
13.00-24	12	TL
14.00-24	12 & 16	TL
15.5-25	12	TL
17.5-25	16	TL
20.5-25	16	TL



E-2 DIG MASTER

Size	PR	Type
8.25-20*	14	TT
9.00-20	14	TT
10.00-20NHS	16	TT
11.00-20	16	TT



E-2 EX-1

Size	PR	Type
8.25-20	14	TT
9.00-20	14	TT
10.00-20	16	TT
11.00-20	12	TL
11.00-20	16	TT



F-3 INDUSTRIAL RIB ULTRA

Size	PR	Type
11L-16	10 & 12	TL



R-4 MAGNA TRACK

Size	PR	Type
480/80-26 (18.4-26)	156A8	TL



F-3 SUPER INDUSTRIAL RIB

Size	PR	Type
14.5/75-16.1	10	TL
11.00-20	16	TT



*Under development

DIAGONAL



I-3 MULTI UTILITY

Size	PR	Type
9.00-16	16	TT & TL



F-3 HD CONSTRUCTION

Size	PR	Type
12.5/80-18 IMP	12	TL
12.5/80-18	16	TL



C-1 SMOOTH COMPACTOR

Size	PR	Type
7.50-15	6	TL
7.50-15	12 & 14	TL
11.00-20	18	TT
14/70-20	12 & 20	TL
23.1-26	10	TL



C-1 SMOOTH ROLLER

Size	PR	Type
11.00-20	18	TT



R-3 DIAMOND TREAD

Size	PR	Type
14.9-24	8	TL
18.4-26	12	TL
23.1-26	8 & 16	TL
28L-26	12 & 16	TL
24.5-32	16	TL
715/80-32	20	TL



E-7 SUPER PAVER

Size	PR	Type
21.00-25	28	TL



R-3 COMPACTOR

Size	PR	Type
23.1-26	8 & 12	TL



R-3 SUPER COMPACTOR

Size	PR	Type
23.1-26	8	TL



DIAGONAL



E-7

SAND RIB

Size	PR	Type
18.00-25	16	TL



Paver

STABILITY

“The tyres I took off their skid steer to replace with the Beefy Baby SDSs looked like they had been through over a cheese grate: it is a matter of fact that standard solid tires wear away on concrete. But Beefy Baby solids are a lot harder: I looked at the Beefy Baby tyres we put on more than a year ago, and though they have some wear on them, they still look ready to tackle any job. I haven't had any problems with the Beefy Baby SDS chipping or delaminating either, which can be a problem with hard rubber. If you're doing dirt work with the Beefy Baby SDS, they will last for a long, long time.”





MATERIAL HANDLING

SOLID

Ind YARDMASTER SDS



Black, Normal Heel	
Size	Type
10.00-20*	3 stage
12.00-20*	3 stage
12.00-24*	3 stage

SDS Solid

Size	Type	Black	Black, lip type rim configuration	Available in:	
				Non Marking	Non Marking, Quick Heel
5.00-8	3 stage	x	x	Underdevelopment	Underdevelopment
15X4 1/2-8 (125/75-8)	3 stage	x	x		
16X6-8 (150/75-8)	3 stage	x	x		
18X7-8 (180/70-8)	3 stage	x	x		
6.00-9	3 stage	x	x		
21x8-9 (200/75-9)	3 stage	x	x		
140/55-9	3 stage	x	x		
6.50-10 (5.00F-10)	3 stage	x	x		
6.50-10 (5.50F-10)	3 stage	x			
23x9-10 (225/75-10)	3 stage	x			
23x9-10 (6.50x10)	3 stage		x		
200/50-10	3 stage	x	x		
7.00-12	3 stage	x	x		
23x10-12	3 stage	x	x		
27x10-12	3 stage	x	x		
7.00-15	3 stage	x	x		
7.50-15 (5.50-15)	3 stage	x			
7.50-15 (6.50-15)	3 stage	x			
8.15-15 (28x9-15)	3 stage	x	x		
8.25-15	3 stage	x	x		
250-15 (250/70-15)	3 stage	x	x		
250-15 (250/7.5-15)	3 stage	x			
300-15 (315/70-15)	3 stage	x	x		

Press-On Band

Size	Lug / Black	Smooth / Black	Available in	
			Lug / Non Marking	Smooth / Non Marking
10x5x6 1/2	x	x	x	x
14x4 1/2 x8	x	x	x	x
16x5x10 1/2	x	x	x	x
16x6x10 1/2	x	x	x	x
16x7x10 1/2	x	x	x	x
15x5x11 1/4	x	x	x	x
16 1/4x5x11 1/4	x	x	x	x
16 1/4x6x11 1/4	x	x	x	x
16 1/4x7x11 1/4	x	x	x	x
18x6x12 1/8	x	x	x	x
18x7x12 1/8	x	x	x	x
18x8x12 1/8	x	x	x	x
21x7x15	x	x	x	x
21x8x15	x	x	x	x
21x9x15	x	x	x	x
22x8x16	x	x	x	x
22x9x16	x	x	x	x
22x12x16	x	x	x	x
22x14x16	x	x	x	x
28x10x22	x	x	x	x
28x12x22	x	x	x	x



BLACK LUG



BLACK SMOOTH



COLOURED LUG



COLOURED SMOOTH



Forklift



Heavy Duty Forklift



Excavator

*Under development

RADIAL



Ind YARDMASTER RADIAL

Size	PR	Type
10.00R20*	166A5	TL
12.00R20*	176A5	TL
12.00R24*	178A5	TL



Heavy Duty Forklift

DIAGONAL



Ind-1 Ind-3 YARDMASTER ULTRA IND

Size	PR	Type
4.00-8 NHS	8	TT
5.00-8 NHS	10	TT
18X7-8 NHS	16	TT
6.00-9 NHS	10	TT
21X8-9 NHS	14	TT
6.50-10 NHS	12	TT
23X9-10 NHS	18	TT
27X10-12 NHS	20	TT
7.00-12 NHS	12	TT
7.00-12	12	TT
250-15 NHS	16	TT
7.00-15 NHS	12	TT
7.50-15 NHS	12	TT
7.50-15* NHS	14	TT
8.25-15 NHS	14	TT
28X9-15 NHS	14	TT
300-15 NHS	20	TT
32X12.1-15 NHS	24	TT
7.50-16 NHS	16	TT
9.00-20 NHS	14	TT
10.00-20 NHS	16	TT
12.00-20 NHS	20	TT
12.00-20 NHS	28	TT



Forklift



Heavy Duty Forklift



Ind-1 Ind-3 YARDMASTER

Size	PR	Type
5.00-8 NHS	10	TT
18X7-8 NHS	16	
6.00-9 NHS	10	TT
21X8-9 NHS	14	
6.50-10 NHS	10	
6.50-10 NHS	12	
7.00-12 NHS	12	TT
7.00-15 NHS	12	TT
7.50-15 NHS	14	
8.15-15 (28X9-15) NHS	14	TT
8.25-15 NHS	14	TT
250-15 NHS	16	TT
300-15 NHS	20	



Forklift



Ind-3 BOSSLIFT III

Size	PR	Type
9.00-20	16	TT
10.00-20	16	TT
12.00-20	20/24	TT



Forklift

ADAPTABILITY

“By adding the new Galaxy banded tyre to our fork lift line-up, we’re actively been telling our customers that we’re committed to serving all their material handling needs and to give them a one-stop option. The Yardmaster SDS represents our dedication to keeping our customers rolling profitably with reliable, application-specific, purpose-built tyres.”





EARTHMOVER

SOLID



L-5 LHD-500 SDS

Size	PR	Type
14.00-24		Solid
14.00-25		Solid
17.5-25		Solid



Loader



Load Haul Dumper



L-4S SUPER SMOOTH SDS

Size	PR	Type
16.00-25		Solid
26.5-25		Solid



Loader

RADIAL



G-2 MGSR 200

Size	PR	Type
14.00R24	153A8	TL
17.5R25	176A2/153A8	TL



Grader



L-3E-3 LDSR 300

Size	PR	Type
17.5R25	182A2/167B	TL
20.5R25	193A2/177B	TL
23.5R25	201A2/185B	TL
26.5R25	209A2/192B	TL



Loader



Dump-Truck



E-4L-4 HTSR 400

Size	PR	Type
23.5R25	185B	TL
26.5R25	193B	TL
29.5R25	200B	TL



Loader



Dump-Truck

DIAGONAL



L-2 GIANT HIPPO

Size	PR	Type
20.5-25	20	TL
23.5-25	20	TL
26.5-25	20	TL
23.1-26	16	TL



Loader



L-2 MULTI PURPOSE CONSTRUCTION (MPC)

Size	PR	Type
13.00-24	12	TL
14.00-24	12, 16	TL
15.5-25	12	TL
17.5-25	16	TL
20.5-25	16	TL




Grader

DIAGONAL


G-2 SUPER MUD & SNOW

Size	PR	Type
14.00-24	16	TL
17.5-25	16	TL



Grader

Loader


L-2 GIRAFFE TREAD B

Size	PR	Type
13.00-24	14	TL
14.00-24*	12	TL



Grader

Loader


E-3/L-3 EXR 300

Size	PR	Type
14.00-24	28	TT, TL
14.00-25	20	TT
15.5-25	12	TL
17.5-25	16, 20, 24	TL
20.5-25	16, 20	TL
23.5-25	20, 28	TL
26.5-25	28	TL
29.5-25	28	TL



Grader

Loader

Dump-Truck


E-3 SUPER TRACK


Size	PR	Type
14.00-24	28	TT, TL



Dump-Truck


R-4/L-2/G-2 GIRAFFE XLW

Size	PR	Type
16.9-28	12	TT
13.00-24	14	TL
14.00-24	14, 16	TL
15.5-25	12	TL
17.5-25	16	TL



Grader

Loader


I-2 ROCK MINE LUG+


Size	PR	Type
10.00-20	18	TT
11.00-20	18	TT
12.00-24	20	TT



Tipper


E-3/L-3 PREMIUM ROCK LUG

Size	PR	Type
17.5-25	16, 20	TL
20.5-25	16, 20 & 24	TL
23.5-25	16, 20, 24 & 28	TL
26.5-25	20, 26, 28 & 36	TL
29.5-25	28	TL
29.5-29	28	TL



Loader

Dump-Truck


E-3/L-3 SUPER GRIP

Size	PR	Type
18.00-25	32	TL



Dump-Truck

DIAGONAL



E-4 DOUBLE WIDTH LUG

Size	PR	Type
9.00-20	18	TT
12.00-20	28	TT
12.00-24	24	TT
14.00-24	28	TT



Dump-Truck



**E-4/
L-4** ROCK MAX

Size	PR	Type
12.00-24	20	TT
18.00-25	32 & 40	TL
18.00-33	40	TL
24.00-35	48	TL



Dump-Truck



L-6S TRASHMASTER

Size	PR	Type
26.5-25	28	TL
35/65-33	42	TL



Loader



L-6 SUPER SEVERE MINE DWL

Size	PR	Type
9.00-20	18	TL
12.00-20	28	TT



Loader



Articulated
Dump Truck



Rubber Tire
Gantry



L-5 LHD-500

Size	PR	Type
17.5-25*	20	TL
20.5-25	20	TL
23.5-25	20	TL



Loader



Articulated
Dump Truck



Rubber Tire
Gantry



L-5 LHD-500 A

Size	PR	Type
26.5-25*	26	TL
29.5-25*	28	TL
35/65-33	42	TL



Loader



Articulated
Dump Truck



Rubber Tire
Gantry



L-5S SUPER SEVERE MINE SLICK

Size	PR	Type
12.00-20	20	TT
17.5-25	28	TL
18.00-25	32	TL
23.5-25	24	TL
26.5-25	32	TL
29.5-25	40	TL
35/65-33	42	TL



Loader



Articulated
Dump Truck



Rubber Tire
Gantry



**L-4/
L-5** KING OF COAL

Size	PR	Type
8.25-15	12	TT
35X15-15	32	TL
35X15-16	32	TL



Loader



Articulated
Dump Truck



Rubber Tire
Gantry

*Under development

DIAGONAL

**E-3** **ROCK MINE LUG**

Size	PR	Type
9.00-20	14 & 16	TT
10.00-20	18	TT
12.00-20	24	TT



Dump-Truck

Articulated
Dump TruckRubber Tire
Gantry

AGILITY

“ I’m not changing tyres half as much as I used to. The Giraffes are lasting a lot longer. With the angular bars on the Giraffe it gives them traction. It’ll do asphalt material and still be able to throw mud out of the tyre. I’ve had machines come in with mud over the axles. I know they’ve buried these machines in the mud and they’ve been able to get them out. ”





AGRICULTURE

RADIAL



R-3+ GARDEN PRO

Size	PR	Type
220/55R12	82 A8/82B	TL
240/60R12	89 A8/89B	TL
220/55R14	90A8	TL
200/60R15	83 A8	TL
200/70R16	94A8/B	TL
240/70R16	104A8	TL
260/70R16	109 A8	TL
280/70R16	112 A8/112B	TL
280/70R18	114 A8	TL
320/65R18	109A8/106B	TL
300/70R20	110 A8	TL
320/70R20	113 A8/113B	TL
360/70R24	122A8	TL
380/70R24	125 A8	TL
420/70R24	125 A8	TL
320/85R28	124A8/B	TL



2WD Tractor



Utility Tractor



MFWA

DIAGONAL



R-3 MIGHTY MOW

Size	PR	Type
18X8.50-8	4	TL
23x8.50-12	4	TL
23X8.50-14	6	TL
27X8.50-15	4, 12	TL
27x10.50-15	4	TL
27X14LL-15	6	TL
29X12.5-15	4	TL
9.5-16	6	TL
12.4-16	6	TL
21.5L-16.1	6	TL
10-16.5	8	TL
12-16.5	4, 10, 12	TL
33X15.50-16.5	10	TL
14-17.5	6, 14	TL
41X14.00-20	4	TL
44X18.00-20NHS	4	TL
17.5L-24	8	TL
19.5L-24	12	TL



2WD Tractor



Utility Tractor



MFWA



Golf-Cart



R-3 MIGHTY MOW-TS

Size	PR	Type
16X6.50-8*	4	TL
16X7.50-8	4	TL
18X9.50-8	6	TL
18X8.50-10	4	TL
18X10.50-10	4	TL
20X10.00-10	6	TL
23X8.5-12*	4, 6	TL
23X10.5-12	6	TL
24X12-12	4	TL
26X12-12	4	TL
26X12-12	8	TL



Mower



Trailer



Golf-Cart

*Under development

DIAGONAL


R-3 TURF SPECIAL

Size	PR	Type
24X13LL-12	4	TL
25X10.50LL-15	6	TL
27X10.50LL-15	6	TL
27X12LL-15	6	TL
27X14LL-15	6	TL
12LL-16	6	TL
22.5LL-16.1	6	TL
33X16LL-16.1	10	TL
33X18LL-16.1	10	TL
41X18LL-16.1	6	TL
41X18LL-22.5	14, 20	TL



2WD Tractor



Utility Tractor

Alliance Tire Europe BV

De Entree 59
1101 BH Amsterdam Zuidoost
The Netherlands

+31 (0)20 218 47 70
info.europe@atgtire.com
www.atgtire.com

Disclaimer: The specifications mentioned in this document are subject to change with no prior intimation or notice.
Please visit www.atgtire.com for updated information and details.